

Florencio *et al.*, 2015. The exotic weevil *Stenopelmus rufinasus* Gyllenhal, 1835 (Coleoptera: Curculionidae) across a “host-free” pond network. *Limnetica* 34(1), 2015: 79-84

#### SUPPLEMENTARY INFORMATION

**Table S1.** UTM geographical coordinates (X and Y) of the 91 sampled ponds across Doñana National Park, indicating those ponds where the exotic weevil (*Stenopelmus rufinasus*), the three species of native weevils and *A. filiculoides* (only detected in 2006-2007) were detected during the sampling period considered (2005-2006, 2006-2007 and 2011). The ten sampling sites in the marsh where the biomass of *Azolla filiculoides* was collected are also indicated. *Coordenadas geográficas en UTM (X e Y) de las 91 lagunas muestreadas en el Parque Nacional de Doñana, indicando aquellas lagunas en las que se detectó el gorgojo exótico (Stenopelmus rufinasus), las tres especies de gorgojos nativos y A. filiculoides (sólo detectada en 2006-2007) durante el periodo de muestreo considerado (2005-2006, 2006-2007 y 2011). Además se indican los diez puntos de muestreo de la marisma donde la biomasa de Azolla filiculoides fue colectada.*



---

200068	4080763			
188128	4101930			
194476	4104855			
194447	4092980			
190355	4114027			
193595	4092757			
198510	4079254			
200740	4079274			
198283	4084267			
199613	4084055			
190849	4112664			
191184	4111414			
193089	4106473			
194262	4092984			
195940	4089794			
193931	4092229			
196599	4086010			
198552	4084699			
198497	4082362			
197772	4082047			
196422	4082931			
197341	4083246			
199681	4082311			
197899	4079585			
192403	4098334		1	
192085	4099343		1	
191405	4099264			
187708	4100045			
189239	4100331		1	1
189728	4100771			
193718	4102021			
194273	4103734			
189877	4098482	1	1	1
194080	4104386			
190694	4109969			

---

